B BRAUN
SHARING EXPERTISE



reddot winner 2020

STERILE GOODS
MANAGEMENT

AESCULAP Aicon®


A JUMP AHEAD
IN STERILE SUPPLY MANAGEMENT

AESCULAP Aicon®
STERILE CONTAINER SYSTEM


reddot winner 2020

PROTECTION COVER FOR PERFORATION AREA
Snaps on, can remain in place during cleaning and sterilization (optional).

INDICATOR CHANGE (SINGLE-USE FILTER)
Visible from the outside.



ERGONOMICAL CLOSURE SYSTEM



CONTAINER LOCK

QR-CODE
Provides further product information, e. g. short explanatory video clips, by simply scanning the code with a mobile device camera.

SINGLE-USE PAPER FILTER

FILTER HOLDER

FACE PLATE
For labeling purposes; snaps onto the bottom.
Available in 10 colors; includes tab for attaching label tags.

TAGS
Available in 10 colors and 2 sizes – can be written on and/or used for color-coding purposes. Can be snapped onto the face plate and/or the basket.

CONTAINER SURFACE
Without screws or rivets.

EDS (ENHANCED DRYING SYSTEM)
Enhanced drying system to reduce drying times (optional) – two EDS modules per container bottom.
Clearly visible blue dot allows visual checks.

RETAINING BRACKETS
For securing count sheets, labels, routing slips, etc.

HANDLE DESIGN ALLOWS QUIET OPERATION / STERILE EDGE OF CONTAINER BOTTOM


AESCULAP Aicon®
BASKET SYSTEM

WAVELIKE BASKET BOTTOM
A new type of non-slipping wavelike basket bottom. The ring instruments stay upright during the packaging process, which makes the packing of sets much more comfortable.




THE LID IS OPTIONAL

ERGONOMIC HANDLES




SMOOTH DESIGN
Smooth and rounded design, no feet – therefore also a good choice when using single-use wrap.

SYNCHRONIZED
Enables to standardize the cycle through a synchronized system.



STACKING
Solid and space-saving stacking of baskets, with and without lid.



AESCULAP Aicon®
STERILE CONTAINER SYSTEM SIZE 1/1

CONTAINER BOTTOMS[1]

Item no.	
JJ110	
JJ120	
JJ130	
JJ140	

CONTAINER BOTTOMS[1] WITH TWO EDS, EACH (EDS = ENHANCED DRYING SYSTEM)



Item no.	
JJ111	
JJ121	
JJ131	
JJ141	

LIDS[1] FOR CONTAINER BOTTOMS WITH AND WITHOUT EDS, INCL. JJ600


Item no.	
JJ410	

REPLACEMENT EDS MODULE (EDS = ENHANCED DRYING SYSTEM)

Item no.	
JJ800	

[1] *Table of dimensions see page 14–15*

AESCULAP Aicon®
BASKETS SIZES 1/1 AND DIN



BASKET COMBINATION OPTIONS

Item no. container bottom	Item no. baskets Size 1/1 or DIN
JJ110 / JJ111	JJ162R / JJ462R
JJ120 / JJ121	JJ164R / JJ464R; JJ161R / JJ461R + JJ163R / JJ463R; JJ162R / JJ462R + JJ162R / JJ462R; JJ161R / JJ461R + JJ161R / JJ461R + JJ161R / JJ461R
JJ130 / JJ131	JJ162R / JJ462R + JJ164R / JJ464R; JJ163R / JJ463R + JJ163R / JJ463R
JJ140 / JJ141	JJ164R / JJ464R + JJ164R / JJ464R

Container bottom *Basket* *Front view*

BASKETS[1] SIZE 1/1

Item no.	
JJ161R	1/1 AESCULAP Aicon® basket
JJ162R	
JJ163R	
JJ164R	
JJ167R	1/1 AESCULAP Aicon® basket lid

BASKETS[1] SIZE DIN

Art.Nr.	
JJ461R	DIN AESCULAP Aicon® basket
JJ462R	
JJ463R	
JJ464R	
JJ467R	DIN AESCULAP Aicon® basket lid

Note: Pursuant to EN ISO 868-8, the load must not exceed a total of 10 kg in order to avoid excessive condensate formation. AESCULAP Aicon® baskets are made of stainless steel 1.4301 and medical silicone USP Class VI (lid fastener).

[1] *Table of dimensions see page 16–17*

AESCULAP Aicon®
STERILE CONTAINER SYSTEM SIZE 1/2

CONTAINER BOTTOMS[1]

Item no.	
JJ210	
JJ220	
JJ230	
JJ240	

CONTAINER BOTTOMS[1] WITH TWO EDS, EACH (EDS = ENHANCED DRYING SYSTEM)



Item no.	
JJ211	
JJ221	
JJ231	
JJ241	

LIDS[1] FOR CONTAINER BOTTOMS WITH AND WITHOUT EDS, INCL. JJ600

Item no.	
JJ420	


REPLACEMENT EDS MODULE (EDS = ENHANCED DRYING SYSTEM)

Item no.	
JJ800	

[1] *Table of dimensions see page 14–15*

AESCULAP Aicon®
BASKETS SIZES 1/2

BASKET COMBINATION OPTIONS



Item no. container bottoms	Item No. baskets Size 1/2
JJ210 / JJ211	JJ262R
JJ220 / JJ221	JJ264R; JJ261R, JJ263R; JJ262R, JJ262R; JJ261R, JJ261R, JJ261R
JJ230 / JJ231	JJ262R, JJ264R; JJ263R, JJ263R
JJ240 / JJ241	JJ264R, JJ264R

Container bottom *Basket* *Front view*

BASKETS[1] SIZE 1/2

Item no.	
JJ261R	1/2 AESCULAP Aicon® basket
JJ262R	
JJ263R	
JJ264R	
JJ267R	1/2 AESCULAP Aicon® basket lid

Note: Pursuant to EN ISO 868-8, the load must not exceed a total of 5 kg in order to avoid excessive condensate formation. AESCULAP Aicon® baskets are made of stainless steel 1.4301 and medical silicone USP Class VI (lid fastener).

[1] *Table of dimensions see page 16–17*

AESCULAP Aicon®
STERILE CONTAINER SYSTEM SIZE 3/4

CONTAINER BOTTOMS[1]

Item no.	
JJ310	
JJ320	
JJ330	
JJ340	

CONTAINER BOTTOMS[1] WITH TWO EDS, EACH (EDS = ENHANCED DRYING SYSTEM)



Item no.	
JJ311	
JJ321	
JJ331	
JJ341	

LIDS[1] FOR CONTAINER BOTTOMS WITH AND WITHOUT EDS, INCL. JJ600

Item no.	
JJ430	


REPLACEMENT EDS MODULE (EDS = ENHANCED DRYING SYSTEM)

Item no.	
JJ800	

[1] *Table of dimensions see page 14-15*

AESCULAP Aicon®
BASKETS SIZE 3/4

BASKET COMBINATION OPTIONS



Item no. container bottoms	Item No. baskets Size 3/4
JJ310 / JJ311	JJ362R
JJ320 / JJ321	JJ364R; JJ361R + JJ363R; JJ362R + JJ362R; JJ361R + JJ361R + JJ361R
JJ330 / JJ331	JJ362R + JJ364R; JJ363R + JJ363R
JJ340 / JJ341	JJ364R + JJ364R

Container bottom *Basket* *Front view*

BASKETS[1] SIZE 3/4

Art.Nr.	
JJ361R	3/4 AESCULAP Aicon® basket
JJ362R	
JJ363R	
JJ364R	
JJ367R	3/4 AESCULAP Aicon® basket lid


Note: Pursuant to EN ISO 868-8, the load must not exceed a total of 7.5 kg in order to avoid excessive condensate formation. AESCULAP Aicon® baskets are made of stainless steel 1.4301 and medical silicone USP Class VI (lid fastener).

[1] *Table of dimensions see page 16-17*

ACCESSORIES

FACE PLATE
INCL. TWO JJ599 RETAINING BRACKETS

Item no. 1 unit	Item no. 10 units	Colors	Item no. 1 unit	Item no. 10 units	Colors
JJ500	**JJ520**	Red	**JJ505**	**JJ525**	Black
JJ501	**JJ521**	Blue	**JJ506**	**JJ526**	White
JJ502	**JJ522**	Green	**JJ507**	**JJ527**	Orange
JJ503	**JJ523**	Yellow	**JJ508**	**JJ528**	Purple
JJ504	**JJ524**	Gray	**JJ509**	**JJ529**	Brown



RETENTION PLATE

Item no.	
JJ600	

PROTECTION COVER FOR PERFORATED AREA

Item no. 1 unit	Item no. 10 units	
JJ440	**JJ441**	

SINGLE-USE PAPER FILTER

Item no. 100 units	Without indicator
JJ612	
Item no. 100 units	**With indicator (steam)[2]**
JJ613	

CONTAINER LOCK


Item no. 100 units	Item no. 1000 units	Without indicator
JJ705	**JJ700**	
Item no. 100 units	**Item no. 1000 units**	**With indicator (steam)[2]**
JJ715	**JJ710**	

[2] *pursuant to EN ISO 11140-1, Type 1*

ACCESSORIES


TAGS
56 x 29 mm

with lettering[3] Item no.	without lettering Item no.	Colors
JJ540B	**JJ540U**	Red
JJ541B	**JJ541U**	Blue
JJ542B	**JJ542U**	Green
JJ543B	**JJ543U**	Yellow
JJ544B	**JJ544U**	Gray
–	**JJ545U**	Black
JJ546B	**JJ546U**	White
JJ546B-BC[5]		White
JJ546B-IC[6]		White
JJ547B	**JJ547U**	Orange
JJ548B	**JJ548U**	Purple
JJ549B	**JJ549U**	Brown



TAGS
56 x 19 mm

with lettering[4] Item no.	without lettering Item no.	Colors
JJ560B	**JJ560U**	Red
JJ561B	**JJ561U**	Blue
JJ562B	**JJ562U**	Green
JJ563B	**JJ563U**	Yellow
JJ564B	**JJ564U**	Gray
–	**JJ565U**	Black
JJ566B	**JJ566U**	White
JJ566B-BC[7]		White
JJ566B-IC[8]		White
JJ567B	**JJ567U**	Orange
JJ568B	**JJ568U**	Purple
JJ569B	**JJ569U**	Brown



3| with lettering – one, two or three lines, 5 mm font size, up to 13 characters per line

4| with lettering – one or two lines, 5 mm font size, up to 13 characters per line

5| 1st line **barcode (type 128A)**, 2nd line identical content of barcode as plain writing, 3rd line arbitrary plain writing; all up to 13 characters per line

6| 1st line **Instacount** barcode up to 10 characters, 2nd line arbitrary plain writing up to 20 characters, 3rd line arbitrary plain writing up to 13 characters

7| 1st line **barcode (type 128A)**, 2nd line identical content of barcode as plain writing, all up to 13 characters per line

8| 1st line **Instacount** barcode up to 10 characters, 2nd line arbitrary plain writing up to 20 characters

"ALL-IN-ONE" LABELS
75 x 35 mm

Item no. 1000 units	With indicator (steam)[2]
JJ751	Core-D: 40 mm
JJ752	Core-D: 76 mm
Item no. 1000 units	**Without indicator**
JJ754	Core-D: 40 mm
JJ755	Core-D: 76 mm

ADAPTER FOR LABELS
(approx. 80 x 35 mm)

Item no.	
JJ582	

REPLACEMENT RETAINING BRACKET FOR FACE PLATE

Item no. 10 units	
JJ599	

[2] *pursuant to EN ISO 11140-1, Type 1*

AESCULAP Aicon®
TABLES OF DIMENSIONS STERILE CONTAINERS

TABLE OF DIMENSIONS FOR STERILE CONTAINERS SIZE 1/1 WITH AND WITHOUT EDS[2]

Item no.	Lid – outer dimensions (L x W x H mm)	Sterile container bottom – outer dimensions (L x W x H mm)	Sterile container bottom – inner dimensions [L x W x H mm] (loading height)	Sterile container with lid – outer dimensions (L x W x H mm)
Lid				
JJ410	598 x 297 x **28**			
Sterile container bottom				
JJ110 / JJ111*		598 x 297 x **86**	548 x 258 x **64**	598 x 297 x **100**
JJ120 / JJ121*		598 x 297 x **136**	548 x 258 x **114**	598 x 297 x **150**
JJ130 / JJ131*		598 x 297 x **186**	548 x 258 x **164**	598 x 297 x **200**
JJ140 / JJ141*		598 x 297 x **236**	548 x 258 x **214**	598 x 297 x **250**


TABLE OF DIMENSIONS FOR STERILE CONTAINERS SIZE 1/2 WITH AND WITHOUT EDS[2]

Item no.	Lid – outer dimensions (L x W x H mm)	Sterile container bottom – outer dimensions (L x W x H mm)	Sterile container bottom – inner dimensions [L x W x H mm] (loading height)	Sterile container with lid – outer dimensions (L x W x H mm)
Lid				
JJ420	300 x 297 x **28**			
Sterile container bottom				
JJ210 / JJ211*		300 x 297 x **86**	250 x 258 x **64**	300 x 297 x **100**
JJ220 / JJ221*		300 x 297 x **136**	250 x 258 x **114**	300 x 297 x **150**
JJ230 / JJ231*		300 x 297 x **186**	250 x 258 x **164**	300 x 297 x **200**
JJ240 / JJ241*		300 x 297 x **236**	250 x 258 x **214**	300 x 297 x **250**

[2] EDS = Enhanced Drying System
˙ Container bottoms with EDS (Enhanced Drying System)

TABLE OF DIMENSIONS FOR STERILE CONTAINERS SIZE 3/4 WITH AND WITHOUT EDS[2]

Item no.	Lid – outer dimensions (L x W x H mm)	Sterile container bottom – outer dimensions (L x W x H mm)	Sterile container bottom – inner dimensions [L x W x H mm] (loading height)	Sterile container with lid – outer dimensions (L x W x H mm)
Lid				
JJ430	464 x 297 x **28**			
Sterile container bottom				
JJ310 / JJ311*		464 x 297 x **86**	414 x 258 x **64**	464 x 297 x **100**
JJ320 / JJ321*		464 x 297 x **136**	414 x 258 x **114**	464 x 297 x **150**
JJ330 / JJ331*		464 x 297 x **186**	414 x 258 x **164**	464 x 297 x **200**
JJ340 / JJ341*		464 x 297 x **236**	414 x 258 x **214**	464 x 297 x **250**



See catalog C40402 for additional sterile containers and baskets

Scan the QR code or type in the link below.
LINK: http://bbraun.info/ij

NOTES:

[2] EDS = Enhanced Drying System
˙ Container bottoms with EDS (Enhanced Drying System)

AESCULAP Aicon®
TABLES OF DIMENSIONS BASKETS

TABLE OF DIMENSIONS FOR BASKETS SIZE 1/1

Item no.	Basket lid outer dimensions (L x W x H mm)	Basket outer dimensions (L x W x H mm)	Basket inner dimensions (L x W x H mm)
Basket lid			
JJ167R	528 x 253 x **18**		
Basket			
JJ161R		537 x 250 x **35**	535 x 248 x **32**
JJ162R		537 x 250 x **55**	535 x 248 x **52**
JJ163R		537 x 250 x **80**	535 x 248 x **77**
JJ164R		537 x 250 x **105**	535 x 248 x **102**

TABLE OF DIMENSIONS FOR BASKETS SIZE 1/2

Item no.	Basket lid outer dimensions (L x W x H mm)	Basket outer dimensions (L x W x H mm)	Basket inner dimensions (L x W x H mm)
Basket lid			
JJ267R	231 x 253 x **18**		
Basket			
JJ261R		240 x 250 x **35**	238 x 248 x **32**
JJ262R		240 x 250 x **55**	238 x 248 x **52**
JJ263R		240 x 250 x **80**	238 x 248 x **77**
JJ264R		240 x 250 x **105**	238 x 248 x **102**

TABLE OF DIMENSIONS FOR BASKETS SIZE 3/4

Item no.	Basket lid outer dimensions (L x W x H mm)	Basket outer dimensions (L x W x H mm)	Basket inner dimensions (L x W x H mm)
Basket lid			
JJ367R	394 x 253 x **18**		
Basket			
JJ361R		403 x 250 x **35**	401 x 248 x **32**
JJ362R		403 x 250 x **55**	401 x 248 x **52**
JJ363R		403 x 250 x **80**	401 x 248 x **77**
JJ364R		403 x 250 x **105**	401 x 248 x **102**

TABLE OF DIMENSIONS FOR BASKETS SIZE DIN

Item no.	Basket lid outer dimensions (L x W x H mm)	Basket outer dimensions (L x W x H mm)	Basket inner dimensions (L x W x H mm)
Basket lid			
JJ467R	476 x 253 x **18**		
Basket			
JJ461R		485 x 250 x **35**	483 x 248 x **32**
JJ462R		485 x 250 x **55**	483 x 248 x **52**
JJ463R		485 x 250 x **80**	483 x 248 x **77**
JJ464R		485 x 250 x **105**	483 x 248 x **102**

AESCULAP Aicon®
A JUMP AHEAD
IN STERILE SUPPLY MANAGEMENT



AESCULAP® – a B. Braun brand

Aesculap AG | Am Aesculap-Platz | 78532 Tuttlingen | Germany
Phone +49 7461 95-0 | Fax +49 7461 95-2600 | www.aesculap.com

Distributed by

B. Braun Medical B.V. | +31 (0)412 67 24 11 | customercare.nl@bbraun.com | www.bbraun.nl

The main product trademark "Aesculap" and the product trademark "AESCULAP Aicon" are registered trademarks of Aesculap AG. Subject to technical changes. All rights reserved. This brochure may only be used for the exclusive purpose of obtaining information about our products. Reproduction in any form partial or otherwise is not permitted.

C93102 V10/2021